```
3ema x 8ema Scans for TC2000 and TOS.txt
3ema x 8ema Scans for TC2000 and TOS
They look for 3ema crosses of 8ema -OR- E3ma on correct side of 8ema and the
distance between them increasing for Entries. The exits are simple cross-overs.
1) once copy/pasted they should loook EXACTLY like I have them below...including
where each line ends and a new one starts
2) Do not copy the "TC2000:" or "TOS:"
3T x T - Long Buy:
TC2000:
(XAVGC3.1 <= XAVGC8.1 AND XAVGC3 > XAVGC8) OR
( XAVGC3 > XAVGC8 AND (XAVGC3.1 - XAVGC8.1) < (XAVGC3 - XAVGC8) )
TOS:
#3ema x 8ema Long Entry
#Written by Ed Carter
def C = close; def C1 = close[1];
def XAVGC8 = ExpAverage(close, 8);
def XAVGC3 = ExpAverage(close, 3);
plot TcrossLongBuy = (
( (XAVGC3[1] <= XAVGC8[1] AND XAVGC3 > XAVGC8) OR
(XAVGC3 > XAVGC8 AND (XAVGC3[1] - XAVGC8[1]) < (XAVGC3 - XAVGC8) ) )
);
3T x T - Long Sell:
TC2000:
XAVGC3.1 >= XAVGC8.1 AND
XAVGC3 < XAVGC8
TOS:
#3ema x 8ema Long Exit
#Written by Ed Carter
def XAVGC8 = ExpAverage(close, 8);
def XAVGC3 = ExpAverage(close, 3);
```

```
3ema x 8ema Scans for TC2000 and TOS.txt
plot TcrossLongExit = (
(XAVGC3[1] >= XAVGC8[1] AND XAVGC3 < XAVGC8)
);
3T x T - Short Sell:
TC2000:
(XAVGC3.1 >= XAVGC8.1 AND XAVGC3 < XAVGC8) OR
( XAVGC3 < XAVGC8 AND (XAVGC8.1 - XAVGC3.1) < (XAVGC8 - XAVGC3) )
TOS:
#3ema x 8ema Short Entry
#Written by Ed Carter
def C = close; def C1 = close[1];
def XAVGC8 = ExpAverage(close, 8);
def XAVGC3 = ExpAverage(close, 3);
plot TcrossShortSell = (
( (XAVGC3[1] >= XAVGC8[1] AND XAVGC3 < XAVGC8) OR
(XAVGC3 < XAVGC8 AND (XAVGC8[1] - XAVGC3[1]) < (XAVGC8 - XAVGC3) ) )
);
3T x T - Short Cover:
TC2000:
XAVGC3.1 <= XAVGC8.1 AND
XAVGC3 > XAVGC8
TOS:
#3ema x 8ema Short Exit
#Written by Ed Carter
def XAVGC8 = ExpAverage(close, 8);
def XAVGC3 = ExpAverage(close, 3);
plot TcrossShortExit = (
(XAVGC3[1] <= XAVGC8[1] AND XAVGC3 > XAVGC8)
```

);